



EUROPEAN COMMISSION  
DIRECTORATE-GENERAL FOR HEALTH AND FOOD SAFETY

Brussels, 19.09.2018

## COMMISSION DATABASE OF HOST PLANTS FOUND TO BE SUSCEPTIBLE TO *XYLELLA FASTIDIOSA* IN THE UNION TERRITORY – UPDATE 11

List of host plants referred to in Article 1(b) of Commission Implementing Decision (EU) 2015/2417 of 17 December 2015, which have been found to be susceptible to *Xylella fastidiosa* in the Union territory, or, where a Member State has demarcated an area with regard to only one or more subspecies of *Xylella fastidiosa* pursuant to the second subparagraph of Article 4(1) of that Decision, as having been found to be susceptible to that or those subspecies.

### Host plant found to be susceptible to *Xylella fastidiosa* subsp. *fastidiosa*

*Cistus monspeliensis* L.

*Erysimum*

*Juglans regia* L.

*Prunus avium* L.

*Streptocarpus*

*Vitis vinifera* L.

### Host plants found to be susceptible to *Xylella fastidiosa* subsp. *multiplex*

*Acacia dealbata* Link

*Acacia saligna* (Labill.) Wendl

*Acer pseudoplatanus* L.

*Anthyllis hermanniae* L.

*Artemisia arborescens* L.

*Asparagus acutifolius* L.

*Calicotome villosa* (Poiret) Link

*Cercis siliquastrum* L.

*Cistus creticus* L.

*Cistus monspeliensis* L.

*Cistus salviifolius* L.  
*Convolvulus cneorum* L.  
*Coronilla glauca* L.  
*Coronilla valentina* L.  
*Cytisus scoparius* (L.) Link  
*Cytisus villosus* Pourr.  
*Euryops chrysanthemoides* (DC.) B.Nord.  
*Ficus carica* L.  
*Fraxinus angustifolia* Vahl  
*Genista x spachiana* (syn. *Cytisus racemosus* Broom)  
*Genista corsica* (Loisel.) DC.  
*Genista ephedroides* DC.  
*Grevillea juniperina* R. Br.  
*Hebe*  
*Helichrysum italicum* (Roth) G. Don  
*Lavandula angustifolia* Mill.  
*Lavandula dentata* L.  
*Lavandula stoechas* L.  
*Lavandula x allardii* (syn. *Lavandula x heterophylla*)  
*Lavandula x intermedia*  
*Lonicera japonica* Thunb.  
*Medicago sativa* L.  
*Metrosideros excelsa* Sol. ex Gaertn.  
*Myrtus communis* L.  
*Olea europaea* L.  
*Pelargonium graveolens* L'Hér  
*Phagnalon saxatile* (L.) Cass.  
*Prunus avium* (L.) L.  
*Prunus cerasifera* Ehrh.  
*Prunus domestica* L.  
*Prunus cerasus* L.  
*Quercus suber* L.  
*Rhamnus alaternus* L.  
*Rosa canina* L.

*Spartium junceum* L.

*Westringia fruticosa* (Willd.) Druce

**Host plants found to be susceptible to *Xylella fastidiosa* subsp. *pauca***

*Acacia saligna* (Labill.) Wendl

*Asparagus acutifolius* L.

*Catharanthus*

*Chenopodium album* L.

*Cistus creticus* L.

*Dodonaea viscosa* Jacq.

*Eremophila maculata* F. Muell.

*Erigeron sumatrensis* Retz.

*Erigeron bonariensis* L.

*Euphorbia terracina* L.

*Grevillea juniperina* L.

*Heliotropium europaeum* L.

*Laurus nobilis* L.

*Lavandula angustifolia* Mill.

*Lavandula stoechas* L.

*Myrtus communis* L.

*Myoporum insulare* R. Br.

*Olea europaea* L.

*Pelargonium x fragrans*

*Phillyrea latifolia* L.

*Prunus avium* (L.) L.

*Rhamnus alaternus* L.

*Spartium junceum* L.

*Vinca*

*Westringia fruticosa* (Willd.) Druce

*Westringia glabra* L.

**Host plants found to be susceptible to *Xylella fastidiosa* - irrespective of the subspecies -**

*Calicotome spinosa* (L.) Link

*Cistus albidus* L.

*Coffea*

*Genista lucida* Cambess.

*Helicrysum stoechas* (L.) Moench

*Lavandula dentata* L.

*Lavandula x chaytorae*

*Nerium oleander* L.

*Polygala myrtifolia* L.

*Prunus dulcis* (Mill.) D.A. Webb

*Rosmarinus officinalis* L.

*Teucrium capitatum* L.

*Veronica elliptica* L.